



ASTM A240 410 ferritic or MARTENSITIC stainless steel plate/coil on sale

Katalor is the manufacturer, exporter and suppliers of ASTM A240 410 ferritic or MARTENSITIC stainless steel plate/coil and supply high quality ASTM A240 410 ferritic or MARTENSITIC stainless steel plate/coil in both large and small quantities worldwide. The important is that Katalor has a team of experienced professionals with years of experience in manufacturing include ASTM A240 410 ferritic or MARTENSITIC stainless steel plate/coil.

ASTM A240 410 ferritic or MARTENSITIC stainless steel plate/coil Application:

ASTM A240 410 ferritic or MARTENSITIC stainless steel plate/coil is widely used in Bolts, screws, bushings and nuts, Petroleum fractionating structures, Shafts, pumps and valves, Mine ladder rungs, Gas turbines.

ASTM A240 410 ferritic or MARTENSITIC stainless steel plate/coil Chemical Composition:

Grade	C	Mn	P	S	Si	Cr	Ni	Mo	N	Cu	Other Elements
410 (S41000)	0.08 – 0.15	1.00	0.040	0.030	1.00	11.5 – 13.5	0.75	– –	– –	– –	–

ASTM A240 410 ferritic or MARTENSITIC stainless steel plate/coil Mechanical Property:

Grade	Tensile Strength, min		Yield Strength, min		Elongation in 2 in. or 50 mm, min, %	Hardness, maxC		Cold Bend° D
	ksi	MPa	ksi	MPa		Brinell	Rockwell B	
410 (S41000)	65	450	30	205	20	217	96	180



Shanghai Katalor Enterprises
ONCE BELIEVE, TRUST FOREVER!

Email: info@katalor.com
Tel: 0086-21-61182423

ASTM A240 410 ferritic or MARTENSITIC stainless steel plate/coil
Additional Condition:

Packaging Details: Standard export seaworthy packing or as required.

Delivery Time: 30-50 days, 7 days for stock goods.

Loading Port: Shanghai, Tianjin, Qingdao.

Offer Ability: 5 000MT/Per Month.

Cold rolled stainless steel sheet (Coil) Specification:

Thickness: 0.3~8mm, width: 600 ~2100mm, Length: 2000~12000mm or Coil

Tolerance: according to relevant standard

Surface: 2D, 2B, BA, No3, No4, polish and so on.

Hot rolled stainless steel sheet (Coil) Specification:

Thickness: 2.5~25mm, width: 1000 ~2100mm, Length: 4000~12000mm or Coil

Tolerance: according to relevant standard

Surface: No. 1

If you have any need of ASTM A240 410 ferritic or MARTENSITIC stainless steel plate/coil, please contact Katalor's service. And you needn't worry about the quality of ASTM A240 410 ferritic or MARTENSITIC stainless steel plate/coil. We will provide ASTM A240 410 ferritic or MARTENSITIC stainless steel plate/coil with the best service and make the humanizing presets for you!



specialized in manufacturing and exporting steel and casting product. Based

Office Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai



Shanghai Katalor Enterprises
ONCE BELIEVE, TRUST FOREVER!

Email: info@katalor.com
Tel: 0086-21-61182423

on the domestic rich product resources and professional research on international market, Katalor's service has already spread many countries in Europe, America, Southeast Asia, Middle East, South America, Africa, and so on.

Contact US:

Phone: 0086-18317160019

TEL: 0086-21-61182423

Fax: 0086-21-61182425

E-mail: info@katalor.com

Skype: shanghai.katalor

Address : Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai

Office Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai