



ASTM A53/A53M GRB ERW/ seamless/LSAW/ SSAW steel pipe

Katalor is a company who have 13 years history in supplying ASTM A53 GRB/A53M ERW/ seamless/LSAW/ SSAW steel pipe. We want to set up long relationship with clients of ASTM A53 / A53M GRB ERW/ seamless/LSAW/ SSAW steel pipe. Our focus is on product quality and service of ASTM A53/A53M GRB ERW/ seamless/LSAW/ SSAW steel pipe. Katalor is a good choice if you are looking for the supplier of ASTM A53/A53M GRB ERW/ seamless/LSAW/ SSAW steel pipe. ASTM A53/A53M GRB ERW/ seamless/LSAW/ SSAW steel pipe is intended for mechanical and pressure applications and is also acceptable for ordinary uses in steam, water, gas, and air lines

ASTM A53/A53M GRB seamless steel pipe is a kind of good pipe which is widely seen in our life. we all know that ASTM A53 GRB/A53M seamless steel pipe have a high price owing to its good quality.

ASTM A53/A53M GRB ERW/ seamless/LSAW/ SSAW steel pipe Mechanical Properties:

Grade	Rm Mpa Tensile Strength	Mpa Yield Point	Elongation	Delivery Condition
A	≥330	≥205	20	Annealed
B	≥415	≥240	20	Annealed

ASTM A53/A53M GRB ERW/ seamless/LSAW/ SSAW steel pipe Mechanical Properties

Grade	Rm Mpa Tensile Strength	Mpa Yield Point	Elongation	Delivery Condition
A	≥330	≥205	20	Annealed
B	≥415	≥240	20	Annealed

ASTM A53 GRB/A53M ERW/ seamless/LSAW/ SSAW steel pipe Dimension Tolerances:

Pipe Type	Pipe Sizes		Tolerances
Cold Drawn	OD	≤48.3mm	±0.40mm
	WT	≥60.3mm	±1% <sub>m</sub>

ASTM A53/A53M GRB steel pipe seamless steel pipe specification:

OD: 10.3mm-965.2mm

Wall thickness 1.0mm-120mm

Length: 5-12m

MOQ: 10 Metric Tons

ASTM A53/A53M GRB steel pipe ERW pipe specification;

**Office Address:** Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai



Shanghai Katalor Enterprises  
ONCE BELIEVE, TRUST FOREVER!

Email: info@katalor.com  
Tel: 0086-21-61182423

---

OD 10.3mm-660mm,  
Wall thickness 1.0-16mm

ASTM A53/A53M GRB steel pipe SSAW Pipe specification:  
OD 219.1mm-3500mm  
Wall thickness 3.2mm-25.4mm

ASTM A53/A53M GRB steel pipe LSAW Pipe specification:  
OD 406mm-1524mm  
Wall thickness 6mm-50mm

Katalor have a long story in supplying ASTM A53/A53M GRB ERW/ seamless/LSAW/ SSAW steel pipe. We can guarantee the quality of ASTM A53/A53M GRB ERW/ seamless/LSAW/ SSAW steel pipe. Good price and good quality will be supported if you are sincerely to import ASTM A53/A53M GRB ERW/ seamless/LSAW/ SSAW steel pipe from katalor. We should chose ASTM A53 /A53M GRB ERW/ seamless/LSAW/ SSAW steel pipe according to the price we can afford. the problem is how to chose ASTM A53/A53M GRB ERW/ seamless/LSAW/ SSAW steel pipe supplier. there are many reasons should be considered. For example, service, scale, credit and so on. Chose us, and we will answer your all kinds of problem.

**Office Address:** Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai



Shanghai Katalor Enterprises  
ONCE BELIEVE, TRUST FOREVER!

Email: info@katalor.com  
Tel: 0086-21-61182423

---



specialized in manufacturing and exporting steel and casting product. Based on the domestic rich product resources and professional research on international market, Katalor's service has already spread many countries in Europe, America, Southeast Asia, Middle East, South America, Africa, and so on.

## Contact US:

**Phone:** 0086-18317160019

**TEL:** 0086-21-61182423

**Fax:** 0086-21-61182425

**E-mail:** info@katalor.com

**Skype:** shanghai.katalor

**Address :** Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai

**Office Address:** Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai