# Email:info@katalor.com Tel:0086-21-61182423

### GB4237 0Cr25Ni20 Austenitic stainless steel plate on sale

GB4237 0Cr25Ni20 Austenitic stainless steel plate as the main products in Katalor, we have exported the steel plates to countries all over the world. We can provide kinds of GB4237 0Cr25Ni20 Austenitic stainless steel plate to you, and meet any of your requirements. Katalor will give you the lowest price and the best GB4237 0Cr25Ni20 Austenitic stainless steel plate to make you esteemed company to be the top class steel supplier and distributor.

The application of GB4237 0Cr25Ni20 Austenitic stainless steel plate:

GB4237 0Cr25Ni20 Austenitic stainless steel plate is used for the production of furnace components, used in petroleum, electric power, chemical, pharmaceutical, textile, food, machinery, construction, nuclear power, aerospace, military and other industries.

GB4237 0Cr25Ni20 Austenitic stainless steel plate chemical composition:

Grade	Chemical composition %						
	С	Si	Mn	P	S	Cr	Ni
0Cr25Ni20	0.08	1.50	2.00	0.045	0.030	24.00-	19.00-
						26.00	22.00

#### GB4237 0Cr25Ni20 Austenitic stainless steel plate mechanical properties:

Grade	0Cr25Ni20 mechanical properties					
0Cr25Ni20	Non- Tensile Elongation Hardness					
	proportional	strength,	A/% ≥	HBW	HRB	HV
	extension	Rm/MPa ≥		<u> </u>	<u> </u>	<u> </u>
	strength,					
	Rp0.2/MPa ≥					
	205	515	40	217	95	220

#### Other Terms

Packaging Details: Standard export seaworthy packing or as required.

Delivery Time: 30-50 days, 7 days for stock goods.


Loading Port: Shanghai , Tianjin, Qingdao.

Offer Ability: 5 000MT/Per Month.

### Cold rolled GB4237 0Cr25Ni20 Austenitic stainless steel plate Specification:

Thickness	0.3-8mm
Width	600-2100mm

**Office Address**:Room 301,Unit 6,lane 2500,xiupu Road,Kangqiao Industrial Area,Pudong New District,Shanghai



Email:info@katalor.com Tel:0086-21-61182423

Length   2000-18000mm
-----------------------

Tolerance: according to relevant standard

Surface: 2D, 2B, BA, No3, No4, polish and so on.

Hot rolled GB4237 0Cr25Ni20 Austenitic stainless steel plate Specification:

Thickness	2.5-25mm
Width	1000-2100mm
Length	4000-12000mm

Tolerance: according to relevant standard

Surface: No.1

The GB4237 0Cr25Ni20 Austenitic stainless steel plate is the important material in the material engineers. Katalor will provide the high quality the GB4237 0Cr25Ni20 Austenitic stainless steel plate for you. Katalor has exported our the GB4237 0Cr25Ni20 Austenitic stainless steel plate to the customers from USA, South America, Europe, Africa etc. If we can have the good cooperation together, you will be very welcome to be our agent in your local market. Let's work together!



specialized in manufacturing and exporting steel and casting product. Based on the domestic rich product resources and professional research on international market, Katalor's ervice has already spread many countries in Europe, America, Southeast Asia, Middle East, South America, Africa, and so on.

# **Contact US:**

Phone: 0086-18317160019
TEL: 0086-21-61182423
Fax: 0086-21-61182425
E-mail: info@katalor.com
Skype: shanghai.katalor

Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial

Area, Pudong New District, Shanghai