Email:info@katalor.com Tel:0086-21-61182423

GB4237 0Cr18Ni11Nb Austenitic stainless steel plate on sale

Shanghai Katalor Enterprises Co., Ltd is a big complex combined steel stockist. We have a large of GB4237 0Cr18Ni11Nb Austenitic stainless steel plate with different sizes to meet the customer requirements. And GB4237 0Cr18Ni11Nb Austenitic stainless steel plate has lots of advantages to our society. We are able to provide the GB4237 0Cr18Ni11Nb Austenitic stainless steel plate with high-quality, lowest price and best service.

The application of GB4237 0Cr18Ni11Nb Austenitic stainless steel plate:

GB4237 0Cr18Ni11Nb Austenitic stainless steel plate is widely used in petrochemical, food, paper and thermal power plants, nuclear power industry in the large boiler superheater, reheater, steam pipes, shaft parts, welded structure, is also commonly used as a welding material and welding core welding zone.

GB4237 0Cr18Ni11Nb Austenitic stainless steel plate chemical composition:

| Grade | Chemical composition % | | | | | | | | |
|-------------|------------------------|------|------|-------|-------|--------|-------|------|------|
| | С | Si | Mn | P | S | Cr | Ni | N | Nb |
| 0Cr18Ni11Nb | 0.08 | 0.75 | 2.00 | 0.045 | 0.030 | 17.00- | 9.00- | 0.01 | 10C- |
| | | | | | | 19.00 | 13.00 | | 1.00 |
| | | | | | | | | | |

GB4237 0Cr18Ni11Nb Austenitic stainless steel plate mechanical properties:

| Grade | 0Cr18Ni11Nb mechanical properties | | | | | |
|-----------|-----------------------------------|-------------------|------------|----------|--------|----------|
| | Non-proportional | Tensile strength, | Elongation | Hardness | | |
| 0Cr18Ni11 | extension | Rm/MPa ≥ | A/% ≥ | HBW | HRB | HV |
| Nb | strength, | | | <u> </u> | \leq | <u> </u> |
| | Rp0.2/MPa ≥ | | | | | |
| | 205 | 515 | 40 | 201 | 92 | 210 |

Other Terms

Packaging Details: Standard export seaworthy packing or as required.

Delivery Time: 30-50 days, 7 days for stock goods.

Loading Port: Shanghai , Tianjin, Qingdao.

Offer Ability: 5 000MT/Per Month.

Cold rolled GB4237 0Cr18Ni11Nb Austenitic stainless steel plate Specification:

| Thickness | 0.3-8mm |
|-----------|--------------|
| Width | 600-2100mm |
| Length | 2000-18000mm |

Tolerance: according to relevant standard

Office Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial

Area, Pudong New District, Shanghai

Email:info@katalor.com Tel:0086-21-61182423

Surface: 2D, 2B, BA, No3, No4, polish and so on.


Hot rolled GB4237 0Cr18Ni11Nb Austenitic stainless steel plate Specification:

| Thickness | 2.5-25mm |
|-----------|--------------|
| Width | 1000-2100mm |
| Length | 4000-12000mm |

Tolerance: according to relevant standard

Surface: No.1

If you have any requirements of the GB4237 0Cr18Ni11Nb Austenitic stainless steel plate, please contact us. We can solve your any questions about the GB4237 0Cr18Ni11Nb Austenitic stainless steel plate. We have the GB4237 0Cr18Ni11Nb Austenitic stainless steel plate with professional team and experts. So you can believe the Katalor. We are the best choose for you! I am looking forward your messages.



Email:info@katalor.com Tel:0086-21-61182423



specialized in manufacturing and exporting steel and casting product. Based on the domestic rich product resources and professional research on international market, Katalor's ervice has already spread many countries in Europe, America, Southeast Asia, Middle East, South America, Africa, and so on.

Contact US:

Phone: 0086-18317160019
TEL: 0086-21-61182423
Fax: 0086-21-61182425
E-mail: info@katalor.com
Skype: shanghai.katalor

Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial

Area, Pudong New District, Shanghai