Email:info@katalor.com Tel:0086-21-61182423

GB/T16270 Q690D Carbon and low alloy steel plate on sale

GB/T16270 Q690D Carbon and low alloy steel plate can provide high quality and preferential price products through Katalor. Q690D is a Chinese standard and is widely used in China. With the development of China, more and more buyers buy GB/T16270 Q690D Carbon and low alloy steel plate from China. katalor has a long story on supplying GB/T16270 Q690D Carbon and low alloy steel plate, we will guarantee the quality of GB/T16270 Q690D Carbon and low alloy steel plate.

The application of GB/T16270 Q690D Carbon and Low alloy Steel Plate:

GB/T16270 Q690D Steel Plate are used in Construction of Bridges, Highway Construction and Other Engineering construction

GB/T16270 Q690D Carbon and low alloy steel plate Chemical Composition:

| STEEL | C% | Si% | Mn% | P% | S% | Cu% | Cr% | Ni% | Mo % | B % | V % | Nb% | Ti % |
|-------|-----|------|-----|------|-------|-----|-----|-----|------|-------|------|------|------|
| GRADE | max | max | max | max | max | max | max | max | max | max | max | max | max |
| Q690D | 0.2 | 0.80 | 1.8 | 0.02 | 0.010 | 0.5 | 1.5 | 2 | 0.70 | 0.005 | 0.12 | 0.06 | 0.05 |

GB/T16270 Q690D Carbon and low alloy steel plate Mechanical Property:

| Re yield strength Mpa min | | | Re yield str | ength Mpa ı | min | elongation % | Energy and temperature | | | |
|------------------------------|--------|---------|--------------|-------------|---------|--------------|------------------------|-----|-----|-----|
| | | | | | | Min | 0 | -20 | -40 | -60 |
| t≤50 | 50-100 | 100-150 | t≤50 | 50-100 | 100-150 | | J | J | J | J |
| 690 | 650 | 630 | 770-940 | 760-930 | | 14 | 47 | 47 | 34 | 34 |

Other Terms

Packaging Details: Standard export seaworthy packing or as required.

Delivery Time: 30-50 days, 7 days for stock goods.

Loading Port: Shanghai ,Tianjin, Qingdao.

Offer Ability:5 000MT/Per Month.

MOQ: 1 Pcs.

Office Address:Room 301,Unit 6,lane 2500,xiupu Road,Kangqiao Industrial Area,Pudong New District,Shanghai


Email:info@katalor.com Tel:0086-21-61182423

The rolling size of GB/T16270 Q690D Carbon and low alloy steel plate:

| Thickness | 1.2-600mm | | | | |
|-----------|--------------|--|--|--|--|
| Width | 1220-4200mm | | | | |
| Length | 5000-18000mm | | | | |

Notes: coil thickness ≤ 25mm

Katalor provides additional conditions for GB/T16270 Q690D Carbon and low alloy steel plates. Katalor can produce different sizes of GB/T16270 Q690D Carbon and low alloy steel plate according to your requirements. Meanwhile, katalor has GB/T16270 Q690D Carbon and low alloy steel plate stocks to meet the urgent needs of some customers.



Email:info@katalor.com Tel:0086-21-61182423



specialized in manufacturing and exporting steel and casting product. Based on the domestic rich product resources and professional research on international market, Katalor's ervice has already spread many countries in Europe, America, Southeast Asia, Middle East, South America, Africa, and so on.

Contact US:

Phone: 0086-18317160019
TEL: 0086-21-61182423
Fax: 0086-21-61182425
E-mail: info@katalor.com
Skype: shanghai.katalor

Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial

Area, Pudong New District, Shanghai