

GL Grade C shipbuilding steel plate

GL Grade C shipbuilding steel plate is a kind of hot rolled general tensile strength steel. GL shipbuilding steel plate come 4 grades in ordinary-strength steel for shipbuilding and grade A is the lowest one of them.GL Grade C shipbuilding steel plate have yield strength of 34,100 psi (235 MPa), and ultimate tensile strength of 58,000 - 75,500 psi (400-520 MPa). All the GL Grade C shipbuilding steel plate offered by Katalor Industry can be certificated by Germanischer Lloyd (GL).

The application of GL Grade C shipbuilding steel plate GL A grades of steel plate are almost exclusively used in the Shipbuilding Industry for the construction of structural parts of ships, barges and marine equipment. GL A Shipbuilding steel plates also can be used for ship repairing, the offshore oil drilling platform, the platform pipe joints and other components.

The rolling size of GL Grade C shipbuilding steel plate

Thickness	1.2-40mm
Width	1220-4200mm
Length	5000-18000mm

Notes: coil thickness ≤ 25mm

GL Grade C shipbuilding steel plate Chemical Composition Heat Analysis:

Element	GL Grade A Max %	Element	GL Grade A Max %
С	0.21	Ni	-
Mn	2.5*C min	Мо	-
Si	0.50	Al	-
S	0.035	Nb	-
Р	0.035	V	-

Office Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial

Area, Pudong New District, Shanghai

Email:info@katalor.com

Cu	-	Ti	-
Cr	-	Ν	-

GL Grade C shipbuilding steel plate Mechanical Properties:

Grade	Thickness	Yield Strength	Tensile Strength	⊩longation	Impact Energy
	(mm)	MPa (min)	MPa	% (min)	(KV J) (min)
					20 degree
GL Grade A	4-260	235	400-520	22	

Note: the impact energy under less 50mm thickness

Katalor enterprises is the professional Chinese GL Grade C shipbuilding steel plate supplier .We keep a lot GL Grade C shipbuilding steel plate in our warehouse. We promise the competitive price in order to enlarge our oversea market. If you want to know GL Grade C shipbuilding steel plate price, please be free to contact us.



specialized in manufacturing and exporting steel and casting product. Based on the domestic rich product resources and professional research on international market, Katalor's ervice has already spread many countries in Europe, America, Southeast Asia, Middle East, South America, Africa, and so on.

Office Address:Room 301,Unit 6,lane 2500,xiupu Road,Kangqiao Industrial Area,Pudong New District,Shanghai



Contact US:

Phone: 0086-18317160019
TEL: 0086-21-61182423
Fax: 0086-21-61182425
E-mail: info@katalor.com

Skype: shanghai.katalor

Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial

Area, Pudong New District, Shanghai